

Public Water Supply District No. 1 Of Franklin County, Missouri

Resolution

Be it Resolved, on this 18th day of December, 2024 by the Board of Directors for Public Water Supply District No.1 of Franklin County, Missouri that the rules and regulations providing for water and sewer service, charges, connection fees, deposits, billing frequency and penalties for delayed payments, new connections and inspections and matters relating thereto are hereby as follows:

ARTICLE I

Section I - General:

1. These Rules and Regulations have been adopted to govern the water and sewer services furnished by the District in a uniform manner for the benefit of the District and its customers. They are subject to change from time to time.
2. All persons, firms, corporations, partnerships, etc. desiring to obtain water and/or sewer services from the District shall make application to obtain such services. All applicants shall follow and meet all the requirements set forth in these rules and regulations. Failure to do so may result in disconnection of service or other penalties as defined herein.
3. All connections to the District's water and/or sewer systems shall be requested in advance, connection fees paid in full, be properly installed and water services properly metered prior to the turn on of service.
4. The water and/or sewer services made available under these rules are for the sole use of the person, persons, and customer at his/her premise(s) and he/she shall not resell in any manner any water or sewer service without the specific written consent and permission of the District.
5. Water and/or sewer service is for the sole use service described above and prohibits any extension of pipes, hoses, etc. to transfer water and/or sewer services from one property to any other property, person, persons, or customer and also prohibits any person, persons, customer from sharing, reselling, sub metering to another person, persons, or customer. No more than one premise shall be served by a service connection, unless express written consent and permission is given by the District on an individual basis. A farm containing a residence and out buildings for use in farming operations shall be considered as one residence and that customer may use water and/or sewer service from a single connection/water meter for all such buildings. Farms that contain more than one residence require a separate connection/meter for each residence.
6. The District has the right to inspect meters, pumps, backflow prevention devices, and all other water fixtures, lines and appliances as well as all sewer appurtenances for the use of water or sewer service whenever deemed necessary by the District for the purpose of regulating such use, keeping accurate account, preventing waste, leakage or other violations of these rules and regulations. For such purpose it shall be the duty of each customer to allow District access to their premises at reasonable times and intervals; should any person, persons, or customer refuse to allow such access, upon order of the District, water and/or sewer service may be discontinued and withheld from any customer so refusing.
7. The District reserves the right, at any time, without notice, to discontinue water and/or sewer service in their distribution and collection lines for the purpose of making extensions, repairs or for any other purpose they deem to be in the best interest of the District's system or customers. The District reserves the right to discontinue water and/or sewer to any customer, at any time, so long as the service pipe

through which such user may be supplied, or any meter, or any pump, or any part of any such pipe or system may be out of order or in disrepair for the proper supply of water or sewer service through same. When reasonably possible the District will attempt to notify in advance of service interruptions when water and/or sewer service will be limited, restricted or temporarily shut off.

8. All persons and customers are hereby notified and cautioned that risk of damage due to the discontinuance or disruption of water and/or sewer service is hereby assumed by the customer. All persons and customers are advised to take measures to prevent water tanks from draining, boilers from collapsing, follow standard backflow prevention practices, prevent sewer backups and any and all other damages that could be incurred in the event water and/or sewer service was discontinued or interrupted for any reason. The District is not liable for damages caused by defective piping or appliances on the customer's premises or for any defect in the customer's water or sewer piping. It is expressly understood and agreed by and between the District and the customer/user that no claim shall be made against the District by reason of breaks, leaks, bursting of, repairs to, or maintenance of any water or sewer facilities owned by the District or for any failure to supply service for any reason. As a condition for furnishing sewer service, the District shall not be liable or responsible for damages of any kind for any failure to remove sewage from customer/user premises or property or for any interruption of sewage service for any reason.
9. No employee or representative of the District shall have the right or authority to bind it by any promise, agreement or representation contrary to the letter or intent of these rules and regulations or of the by-laws of the District, or the laws of the State of Missouri.
10. No person, persons or customer shall turn the water on or off at the street valve, corporation cock, curb stop or other street connection, or disconnect or remove any meter or otherwise tamper with the water and/or sewer facilities of the District without the written consent and permission of the District. Violators shall be subject to fees, penalties and costs per these rules and regulations.
11. No water or sewer pipe of any kind, including water service lines and sewer laterals or force mains shall be installed within any right of way or easement of the District or be connected to the District's water or sewer system unless approval is given by the District and connection fees are paid. All water and sewer service will be billed as set forth in the rules and regulations.
12. Line extensions and connections to the District water and sewer system shall be at the sole cost of the customer or user and all extensions and connections shall be subject to the District's approved inspection. The District reserves the option to provide incentives and participate in line extensions, if the line extension is deemed to be beneficial to the District. See Section XV-Extensions
13. The District's water and sewer systems shall be self-sustaining. The user/service charges for water and sewer services shall generate adequate annual revenues to pay costs of annual operations and maintenance of the water and sewer systems including replacement costs associated with debt retirement related to financing of the water and sewer and/or any capital costs related with said systems which the District may designate be paid from revenue collected by the user/service charges. The District shall bill customers for any and all miscellaneous charges set forth by State, Local and Federal Law, examples of which include, but are not limited to: primacy fees, taxes, laboratory testing fees, etc.
14. Prohibition Against Firearms in District buildings:
 - (a) No person, with the exception of a Law Enforcement Officer, shall be permitted to bring a Firearm, whether concealed or not, into any building or portion of a building owned, leased or controlled by the District.
 - (b) No person who has been issued a concealed carry endorsement by the Missouri director of revenue under Section 571.094 RSMo or who has been issued a valid permit or endorsement to carry concealed firearms issued by another state or political subdivision of another state, shall, by authority

of that endorsement or permit, be allowed to carry a concealed firearm or to openly carry a firearm in any building or portion of a building owned, leased or controlled by the District.

(c) Signs may be posted at each entrance of a building entirely owned, leased or controlled by the District stating that carrying of firearms is prohibited. Where the District owns, leases or controls only a portion of a building, signs may be posted at each entrance to that portion of the building stating that carrying of firearms is prohibited.

(d) Any person violating this section may be denied entrance to the building or ordered to leave the building. Any District employee or agent violating this section may be disciplined. Any person violating this section will be prosecuted for trespassing.

Section II – Definitions:

Applicant: Any individual, firm, partnership, corporation, or other agency owning or occupying land located within the District, applying for a water and/or sewer user's agreement.

Agent(s): Any person, persons, firms, corporations, or partnerships engaged in work, and serving as representatives of Public Water Supply District No. 1 of Franklin County, Missouri, including but not limited to its employees, engineers, operations, maintenance and management personnel and any and all such designates as the District may have from time to time.

Auxiliary water system: Any water source, supply, or system, other than the Public Water Supply District No. 1 system, that may be available in the building, establishment, residence, premises or property.

Board: The Board of Directors of Public Water Supply District No. 1 of Franklin County, Missouri.

Customer: Any person, persons, firm, corporation, or partnership using or allowing the use of water and/or sewer service(s) provided by the District.

Commercial Customer: Customers that are non-residential or whose general purpose and use is of a business nature. Includes commercial, business and industrial establishments, with or without dwelling units in the premises or on the property. Condominium, multi-family (two dwelling units or more) and other similar type complexes may be classified as Commercial Customers.

Clerk: The person duly appointed annually by the Board of Directors serving in the capacity of Clerk.

Cross Connections: Any physical link between a potable water supply and any other substance, fluid or water source, which makes contamination of the potable water supply possible due to the reversal of flow of water in the potable water piping or distribution system were to occur.

District: Public Water Supply District No. 1 of Franklin County, Missouri.

District Representative: See Agent(s) above.

Lateral: The entire length of sewer line or pipe including fittings connecting the customers premises to the District's main sewer line.

Occupant: The owner or renter of a facility receiving water and/or sewer service from the District pursuant to a written user's agreement.

Owner: Any individual, firm, partnership, corporation, or other agency that owns land and is receiving water and/or sewer service or to whom service has been made available from the District's facilities.

Premise(s): Any building, land or structure on it used as a dwelling unit or used for any commercial, business or industrial use or purpose.

Service: The term service shall mean the availability for use by the owner/occupant of adequate water and/or sewer to meet the owners/occupants requirement. Service shall be considered available when the District maintains water supply at normal pressure and has adequate sewer capacity available for the owner/occupant regardless of whether or not the owner/occupant makes use of it.

User: Any person, persons, firm, corporation or partnership using any District water or sewer services.

Users Agreement: The written agreement between the owner/occupant and the District to supply water and/or sewer service or to make service available.

ARTICLE II

Section I – Application, Supply and Taking of Service:

1. Applicant shall be responsible for requesting service from the District and in doing so requests and becomes a customer. Before the District begins rendering water and/or sewer service, the applicant/customer shall sign a Registration Form with the District and supply the information requested. Applicant will be required to furnish easement on said property before water service will be installed. Any customer who has taken service from the District without requesting such service from the District shall be considered to have expressed consent to the District's rules and regulations and shall be responsible for any and all appropriate water and sewer charges/payments as specified in the District's rules and regulations beginning on the first day of taking such service. The District reserves the right to make reasonable estimation of service usage if an exact determination cannot be made.
2. Applicants and customers for water and/or sewer service shall conform to all rules and regulations as approved and as those rules and regulations may be modified, revised or amended from time to time.
3. On commercial accounts, the person signing the Registration Form must be the official designee of the owner making application. Commercial applicants and customers shall, upon request, present in writing a list of water devices which are or are proposed to be attached to the water lines servicing the building and/or property, giving location, types, size of devices and estimated daily water flow. The District will then advise of any improvements that must be constructed or any special conditions of use that must be followed by that commercial applicant or customer. The District reserves the right to advise and require any special sewer waste discharge conditions, prohibitions, restrictions up to and including any special pretreatment requirements or facilities before accepting sewer waste discharges.
4. No substantial increases or additions to water and/or sewer use, water use equipment or appliances may be connected to the District water and/or sewer system by Commercial Customers except upon written notice to the District and with the written consent of the District.
5. All applicants and customers are required to pay security deposits, service initiation fees, connection fees and/or an inspection charge prior to the initiation of service. Failure to pay security deposits may result in refusal or termination of service.
6. The District reserves the right to reject any applicant and/or customer request for service that does not comply with any District rule or regulation. Rejection may include, but not be limited to, refusal and disconnection of water and/or sewer service, in which the District may notify any appropriate local authorities if the District deems a public health detriment exists, could exist or will exist.

7. Owners of rental property are responsible for their renter's unpaid water and/or sewer bills. Therefore, it is recommended that landlords collect a deposit to cover any outstanding water and/or sewer bills.

Section II – Connection Fees and Procedures, General:

1. All new connections to the District's water and/or sewer system shall be subject to payment of a connection fee(s) for the right to connect to the District's water and/or sewer system as delineated in Appendix C.
2. Connection fee(s) to the District's water and/or sewer system shall be due and payable prior to any connection.
3. No water service line, sewer service lateral or sewer pump system shall be connected to any line owned by the District or any private line that may be connected to the District's system until all connection fees are paid. If any such lines, laterals or pump systems are connected, the District may disconnect any such line, lateral or pump system and charge the owner, developer, contractor, plumber or any other person, persons or parties, jointly or severally liable, all costs incurred for the disconnection, including but not limited to, attorney fees, court costs and interest earnings from the date of connection.
4. Before installing a service line extension and providing water, the District may require the applicant to pipe his/her home and be in readiness to accept the service.
5. All water and/or sewer connections, as well as the materials and workmanship used in those connections shall be subject to inspection and approval prior to the installation of service. Connections, materials and/or workmanship not meeting inspection approval shall be corrected so as to meet the inspection approval prior to the initiation of service or those connections are subject to disconnection. Furthermore, the District will not be required to provide water and/or sewer service until connections to District's water and/or sewer system is approved by the District.
6. Locations of connections to the District's system will generally be given and directed by the District. Any deviation to prescribed location will need prior approval by the District. Connections to the District's system shall be installed and at the expense of the customer or owner of the property/premise(s) receiving service by the District's approved contractor, unless the developer's contractor has been approved to install service lines for new developments.
7. Effective January 1, 2016, If new lateral sewer pipes or water service lines are installed and connected to the Water District's water mains, valves, vaults, lines, manholes, attachments and appurtenances within the public right-of-way, or if such water mains, sewer mains, valves, vaults, lines, manholes, attachments and appurtenances are fully replaced by excavation within the public right-of-way, the Water District shall require placement of tracer wire or other utility location technology and an access point within a protective enclosure over water lines and cleanouts for gravity sewer laterals. For sewer laterals operation under pressure or vacuum, the Water District shall require placement of an access point within a protective enclosure and shall not be required to place a cleanout. All protective enclosures and cleanouts shall be extended to grade and installed so that they are easily accessible. For water service lines and sewer laterals operating under pressure or vacuum, tracer wire, or other utility location technology, shall be placed within the protective enclosure to provide approximate location of the underground facilities in these areas that are located within a public right-of-way. See Water System Distribution Specifications for tracer wire requirements.

Section III – Water Connection Charges and Procedures:

1. Connection fees for the right to connect to the District's water system and the installation of water service appurtenances and components shall be as shown in Appendix C.
2. All connection fees listed herein are subject to change. All connection fees above shall be paid at least 24 hours prior to the scheduling of a connection/request for inspection.
3. A minimum of 24 hours notice is required for the scheduling of a connection or request for inspection on connection. Any persons or firms excavating in City, County or State right-of-ways must have the proper permits from that particular entity prior to any excavations and may be required to produce proof upon demand.
4. All water connections shall be made by as approved by the District. Developers may be allowed to install service lines with new mains at the developers' expense.
5. All piping work done in connection with pipe and services connected with the District's main shall be submitted to the inspection of the District before such underground work is covered up. Whenever the District determines that a job of plumbing is obviously defective, although not in direct violation, the District shall require that it be corrected before the water will be turned on. The Board reserves the right to prescribe the type of materials and the standard of workmanship to be followed in enforcing this section.

All service lines shall be laid at all points at least forty two (30) inches below the surface of the ground and shall be placed on firm and continuous earth so as to give unyielding and permanent support. They shall not be laid in sewer ditches. It shall be installed in a trench at least eighteen (18) inches in a horizontal direction, in undisturbed earth, from any other trenches wherein are laid gas pipe, sewer pipe, or other facility, public or private. Such service line shall not pass through premises other than that to be supplied unless the District shall so agree in writing.

6. The customer agrees that in the event any part of the water system constructed, expanded, modified or repaired after January 1, 1989, is found to contain materials that are not "lead free" the District shall have the right to remove the water service meter serving the undersigned and shall have the right to sever the service line serving the undersigned. The definition of "lead free" as used herein shall be defined in the regulations of the Missouri Department of Natural Resources as it now exists and as it may from time to time hereafter by redefined by it.
7. The District reserves the right to install water service lines and water meters to vacant and previously unserved properties prior to receiving application for such service; provided, however, that service lines or meters so installed shall not be used for the purpose of providing service to a customer until after such customer has made a formal application fee for such service.

Section IV – Sewer Connection Charges and Procedures:

1. Connection fees and hookup fees for the right to connect to the District's sewer system and the installation of sewer appurtenances & components shall be as show in Appendix C.
2. Connection fees listed herein are subject to change. All connection fees shall be paid at least 24 hours prior to the scheduling of a connection or request for inspection of connection. Any person or firm performing excavations in City, County or State right-of-ways must have the proper permits from that particular entity prior to performing excavations in the right-of-way and may be required to produce proof of permit.

3. A minimum of 24 hours notice is required to the scheduling of a connection or request for inspection of connection. Connection to the District's sewer systems shall be made at the sole cost of the customer, builder, developer, or property owner including all labor, material, and supplies.

Section V – Security Deposits:

1. Security deposits for water and/or sewer service shall be as shown in Appendix D. It is provided that all such deposits shall be held by the District as a guarantee that the bills of the water user making such deposits shall be fully paid and that no damage will be done to the water meter, line, or any property of the District by the user; such deposit shall be returned to the user at such time said user discontinues service and ceases to be a user of the District (providing the service has been maintained for a minimum period of six months), but the District shall be entitled to first deduct the amount of any unpaid bills to the District, and if the amount of such unpaid bills exceed the amount of the deposit, to apply the entire deposit against such unpaid bills and damage.
2. The District shall pay any amount of such deposit due the user upon demand by the user when service is discontinued after the District has had a reasonable time to compute said bill and to determine if any such damage had been done by the user. The District shall keep all such deposits in a separate bank account or accounts, and the Board at its discretion may invest such funds in savings accounts, or certificates of deposit in the bank or banks in which such funds are held, provided that a reasonable sum is held in a demand accounts to meet anticipated refunding requirements. Any interest accruing on such deposits accounts or certificates will become the sole property of the District and no user shall have any claim for or to such interest, or any portion thereof for any reason. Such interest shall be used by the District in the same manner as income received from the sale of water or sewer service provided by the District. The investment of such deposit account is discretionary with the Board and shall not under any circumstances be regarded as mandatory.
3. Security deposits shall be paid prior to the initiation and start of service. The District reserves the right, at its option, to bill for security deposits with the customer's water/sewer bill. In any event, services with security deposits unpaid after 30 days of billing are subject to disconnection of service.
4. A customer moving from one unit to another within the District may transfer their deposit to the new address if: 1) said request is made in writing; 2) all of their outstanding bills are paid; 3) they do not have a history of delinquency; and 4) they have never been disconnected for nonpayment. In such case, one deposit may be used for both old and new units for maximum of five (5) working days to allow for cleaning and moving. The final bill for the old account may be transferred to the new account. Additional charges may apply to transfers.
5. The owner of any multi-unit building (residential or commercial) containing two or more units, shall be considered the user of water furnished to the building and is liable for payment of security deposit and service bills. Dwellings with two units may have separate meters for each unit. With regard to two unit dwellings, only if new separate water meters are installed for each unit are the tenants allowed to be the customers for water and/or sewer service. In all other cases the owner of the multi-unit building (residential or commercial) shall be deemed the customer by the District.
6. Security deposits may be adjusted higher if the District deems necessary to ensure protection from delinquent water usage charges.
7. Any customer who has relocated within the District or any former customer who has moved back to the District shall not receive service until all of their old accounts and all relevant charges established herein are paid in full.

Section VI – Water Rates and Charges:

1. A charge for water service shall be made based on water meter readings and computed at the rates herein set out in Appendix A and on the rate schedule. The water users agree to pay a minimum meter charge per month for water for the water service connection from time service is made available by the District, and pay for additional water used at the rate set out in the rate schedule adopted by the Board of Directors.
2. The District intends to read water meters on a monthly basis. The District reserves the right to estimate meter readings in such times when meters may not be reasonably read due to weather or any other conditions or factors which would not allow meters to be read in a reasonable period of time. Bills will be sent monthly and are due 15 days after the date on the bill. Bills not paid after 16 days from the date of the bill are subject to a 10% late penalty charge. Failure to pay a bill by the first day of the month following the month in which the bill is dated and rendered shall result in disconnection of the service and such disconnection shall be made without the necessity of notice to the water user. Any damage resulting to the water user or any property of the water user or the owner of the property occupied by the water user shall not be the responsibility of the District, its agents or employees and the District, its agents or employees shall not be liable to the water user or the owner of any property used, held, occupied, rented, or leased by the water user for any such damage when disconnection is made according to these rules and regulations, and it shall be immaterial that no notice of such disconnection was given to the water user or to said property.
3. Multi-unit buildings and developments that are master metered shall have minimum water bills based on the number of units served multiplied by the minimum rate. The balance of the bill shall be computed on the remaining gallons of water used as determined by the master meter.
4. If a water user has a fire, any water that the fire department uses to fight the fire will be at not cost. If the water used was to fight a fire at a non-user, the cost will be (as shown in Appendix A) per 1,000 gallons used.
5. Any commercial users that have a sprinkler system will be charged a yearly sprinkler fee. The fee will be based on the size of the building. The fee (as shown in Appendix A) is due January 1 and must be paid by January 15.
6. Whenever, for any cause, a water meter fails to operate correctly, or for some reason the District is unable to read the water meter, the District shall make a reasonable estimate of the amount of water supplied by the District during the specified period and the customer shall be liable for payment based on the estimate of water supplied.
7. Water meters will be owned and maintained by the District. Meters will be kept in proper operating condition by the District. A meter damaged or destroyed through tampering or abuse will be repaired or replaced at the customer's expense. Cost of maintenance of meters larger than $\frac{3}{4}$ " is the responsibility of the water user. Meters that fail or are replaced due to routine use and wear will be repaired and replaced at the District's expense.
8. Meter tests will be performed from time to time to determine accuracy and meters may be replaced from time to time to ensure accuracy. Meter tests will be performed as deemed necessary by the District at no charge to the customer. Meter tests requested by the customer that are deemed unnecessary in advance by the District will result in a \$27.50 testing charge to the customer, unless the meter registers outside of the 98 to 102 percent accuracy level in which no charge will incur.
9. From time to time, and in amounts determined by the State and Local Authorities, the District will bill and collect for primacy fees, taxes, user fees, laboratory fees and after doing so, will pass those fees onto those appropriate State or Local Authorities.

10. The District reserves the option to grant a customer a one-time leak adjustment, provided the customer can prove, by providing written documentation and justification that a leak occurred and was promptly repaired at time of discovery and after considering Staff's recommendation. One time leak adjustments will be based on average water usage's over the previous three (3), six (6) or twelve (12) month period or as however deemed appropriate by the District. Leak adjustments will not be granted to customers who do not promptly repair leaks after notification by District personnel. Leak adjustments shall not be granted to customers with an active leak. Leaks that entered the District's wastewater system shall not be granted a sewer bill adjustment. Leak adjustments shall be calculated at the rate of 50% of the excess water billed to the customer, over and above the average usage. Leak adjustments shall be limited to two billing cycles. Any leak adjustment exceeding \$150 will require specific Board approval.
11. The customer will maintain and be responsible for the service line from house to meter pit.

Section VII – Sewer Rates and Charges and Conditions of Service:

1. A charge for sewer service shall be made based on water meter readings or monthly charges and computed at rates herein set in Appendix B, whether single metered or master metered. Each customer connected to the District's sewer system shall pay for sewer service monthly.
2. The sewer users will remit payment **without notice** according to the rate schedule in Appendix B. Sewer bills are due on the **first** day of each month. Bills not paid on the **16th** of the month shall be subject to a 10% late charge. Failure to pay a bill by the **first** day of the month following the month in which the bill is rendered shall result in discontinuance of the service.
3. The sewer service supplied by the District shall be for the sole use of the customer. The customer agrees that he will not extend, not permit the extension of or connection to his sewer lateral (connection pipe) for the purpose of transferring sewage from one property to another, nor will he share, or resell sewer service to any other consumer. Each sewer connection shall serve only one residence, institution, or business establishment. Representative of the District shall have the right at any reasonable time, to come on the sewer user's premises for the purpose of making inspection to enforce this provision. Violation of same shall constitute grounds for disconnection.
4. Commercial, business and/or industrial customers shall be billed based on actual or estimated usage based on monthly water meter readings or sewer flow metered.
5. If a commercial, business or industrial customer has a consumptive use of water, or in some other manner uses water that it not returned to the sewer system, or has a water source other than or in addition to the District's system, the sewer service charge for the customer shall be based on a sewer meter or separate water meters installed and maintained at that customers expense in a manner acceptable and approved by the District.
6. Multi-unit buildings and developments that are master metered shall have minimum sewer bills based on the number of units served multiplied by the minimum rate. The balance of the bill shall be computed on the remaining gallons of sewer as determined by the master meter.
7. The District reserves the right to approve or disapprove any new services as the District deems to be in their best interest. No storm water drains, roof runoffs, pond overflow, cisterns, etc. of any type shall be connected to the District's sewer system.
8. The customer will maintain and be responsible for the sewer lateral from house and all inside lines, up to and including the connection to the main sewer.

9. Use of Public Sewers Required

It shall be unlawful for any person to place, deposit, or permit to be deposited in any unsanitary manner on public or private property within the District, or in any area under the jurisdiction of said District, any human or animal excrement, garbage, or other objectionable waste.

It shall be unlawful to discharge to any natural outlet within the District, or in any area under the jurisdiction of said District, any sewage or other polluted water, except where suitable treatment has been provided in accordance with subsequent provision of this regulation.

Except as hereinafter provided, it shall be unlawful to construct or maintain any privy, privy vault, septic tank, cesspool, or other facility intended or used for the disposal of sewage.

The owner of any houses, building, or properties used for human employment, recreation, or other purposes, situated within the District and abutting any street, alley or right-of-way in which there is now located or may in the future be located a public sanitary sewer of the District, is hereby required at their expense to install suitable toilet facilities therein, and to connect such facilities directly with the proper public sewer in accordance with the provisions of these rules and regulations, within ninety (90) days after date of official notice to do so, provided that said public sewer is within one hundred (100) feet of the owners' property line.

10. Residential

Where a public sanitary is not available under the provisions of Section 9.4, the building sewer shall be connected to a private sewage disposal system complying with the provisions of this section.

Before commencement of construction of a private sewage disposal system the owner shall first obtain a written permit signed by the Franklin County Health Department. The application for such permit shall be made on a form furnished by the County, which the applicant shall supplement by any plans, specifications, and other information as are deemed necessary by the County. A permit and inspection application shall be made to the County at the time the application is filed.

A permit for a private sewage disposal system shall not become effective until the installation is completed to the satisfaction of the County. The County Inspector shall be allowed to inspect the work at any stage of construction and, in any event, the applicant for the permit shall notify the County when the work is ready for final inspection, and before any underground portions are covered. The inspection shall be made within (1) week of the receipt of notice by the County.

The type, capacities, location, and layout of a private sewage disposal system shall comply with all provisions of the state standards as defined in Missouri laws accompanied by the Department of Health.

Rules Governing On-Site Sewage Systems, Section 701-025 through 701-059 and the Minimum Standards for On-Site Sewage Disposal Systems defined under 19 CSR 20-3060, No permit shall be issued for any private sewage disposal system employing subsurface soil absorption facilities where the area of the lot is less than (1) acre. No septic tank or cesspool shall be permitted to discharge to any natural outlet. Where the proposed site of a ground absorption system has been rated by the State Geologist or Missouri Department of Natural Resources so severe as to cause potential surfacing of liquid from the ground absorption system no permit will be issued.

At such time as a public sewer becomes available to a property served by a private sewage disposal system, as provided in Section 9.4, a direct connection shall be made to the public sewer in compliance with this regulation, and any septic tanks, cesspools, and similar private sewage disposal facilities shall be removed, crushed, or abandoned as appropriate and filled with suitable material.

The owner shall operate and maintain the private sewage disposal facilities in a sanitary manner at all times at no expense to the District. When notified that effluent from a ground absorption sewage disposal system is surfacing and causing a public health threat, the owner shall obtain competent engineering advice for correction. Plans for correction shall be submitted to the County and corrections made within two (2) months.

No statement contained in this article shall be construed to interfere with any additional requirements that may be imposed by the Health Officer, or department or agency of government.

When a public sewer becomes available, the building sewer shall be connected to said sewer within ninety (90) days and the private sewage disposal system shall be cleaned of sludge and filled with clean bank run gravel or dirt.

11. Commercial and Industrial

All above sections having to do with residential private sewage disposal shall also apply to any private sewage disposal from commercial and industrial sites, except that the type of waste, site size, waste disposal amount in gallons, and suitability of site for ground absorption systems (determined by the Missouri State Geologist) shall be determining factors as to whether ground absorption systems may be permitted.

Nothing but bath, kitchen, and laundry waste may be returned by ground absorption (via an approved septic tank and ground absorption field) to the underground aquifer.

Industrial compounds, solvents, oils, grease, arsenic, radioactive material, poisons, carcinogens, etc., or anything which could possibly contaminate the underground water supply shall not be returned into the ground via ground absorption systems.

12. Sewer Laterals and Connections

No unauthorized person shall uncover, make any connections with or opening into, use, alter, or disturb any public sewer or appurtenance thereof without first obtaining a written permit from the District.

There shall be two (2) classes of building sewer lateral connection charges: (a) for residential and commercial service, and (b) for service to establishments producing industrial wastes. In either class the owner or his agent shall make application on a **special form** furnished by the District to connect to the Franklin County Public Water Supply District No. 1 sewer system. The application shall be supplemented by any plans, specifications, or other information considered pertinent in the judgment. A connection charge as per Appendix C shall be paid to the District at the time the application is filed. A developer that installs sanitary sewer interceptor and collection services at his own expense and provides legal access easements for these services shall pay a sewer service connection fee as per Appendix C at the time the application is filed.

All costs and expense incidental to the installation and connection of the sewer lateral fittings and sewer mains shall be borne by the owner. The owner shall indemnify the District from any loss or damages that may directly or indirectly be occasioned by the installation of the sewer lateral, fittings and sewer mains.

A separate and independent sewer lateral shall be provided for every building. Any exceptions must be approved by the District.

Old sewer laterals may be used in connection with new buildings only when they are found, on examination and test by the District, to meet all requirements of this regulation.

The size, slope, alignment, materials of construction of a sewer laterals, and the methods to be used in excavating, placing of the pipe, jointing, testing and back filling the trench, shall all conform to the requirements of the District's specifications.

Whenever possible, the sewer lateral shall be brought to the building at an elevation below the basement floor allowing for gravity flow. In circumstances when gravity flow to the public sewer is not feasible, sanitary sewage shall be pumped by an approved means and discharged to the public sewer.

No person shall make connection of roof downspouts, interior and exterior foundation drains, areaway drains, or other sources of surface runoff or groundwater to a sewer lateral or building drain, which in turn is connected directly or indirectly to a public sanitary sewer.

The connection of the sewer lateral into the public sewer shall conform to the requirement of the building and plumbing code and other applicable rules and regulations of the District, or the District's specifications. All such connections shall be made gas tight and water tight. Any deviation from the prescribed procedures and materials must be approved by the District before installation. All wastewater customers who are not also District water customers shall be responsible to install an appropriate means of disconnecting the sewer for non-payment. This means of disconnection shall be as directed by the District and shall be maintained by the sewer customer. **Maintenance and repair of sewer lateral (including those laterals in streets and District right-of-way) shall be the responsibility of the individual owner of the structure which is connected to the District public sewer.**

The applicant for the sewer lateral permit shall notify the District when the sewer lateral is ready for inspection and connection to the public sewer. The connection shall be made under the supervision of the District Inspector.

All excavations for sewer lateral installation shall be adequately guarded with barricades and lights so as to protect the public from hazard. Streets, sidewalks, parkways, and other public property disturbed in the course of the work shall be restored in a manner satisfactory to the District at the customer's expense.

13. Discharge limitations to District Sewer System

No person shall discharge or cause to be discharged any storm water, surface water, ground water, roof runoff, subsurface drainage, including interior or exterior foundation drains, uncontaminated cooling water, or unpolluted industrial process waters to any sanitary sewer.

Storm water and all other unpolluted drainage shall be discharged to such sewers as are specifically designated as storm sewer, or to a natural outlet approved by the governing authority. Industrial cooling water or unpolluted process waters may be discharged on approval of the governing authority, to a storm sewer or natural outlet.

No person shall discharge or cause to be discharged any of the following described waters or wastes to any public sewers:

- a) Any gasoline, benzene, naphtha, fuel oil, or other flammable or explosive liquid, solid or gas.
- b) Any waters or wastes containing toxic or poisonous solids, liquids, or gases in sufficient quantity, either singly or by interaction with other wastes, to injure or interfere with any sewage treatment process, constitute a hazard to humans or animals, create a public nuisance, or create any hazard in the receiving waters of the sewage treatment plant,

including but not limited to cyanides in excess of two (2) mg/l as CN in the wastes as discharged to the public sewer.

- c) Any waters or wastes having a pH lower than 6.0, or having any other corrosive property capable of causing damage or hazard to structures, equipment and personnel of the sewage works.
- d) Solid or viscous substances in quantities or of such size capable of causing obstruction to the flow in sewers, or other interference with the proper operation of the sewage works such as, but not limited to, ashes, cinders, sand, mud, straw, shavings, metal, glass, rags, feathers, tar, plastic, wood, unground garbage, whole blood, belly manure, hair and flashings, entrails and paper dishes, cups, milk containers, etc., either whole or ground by garbage grinders.
- e) Any waters or wastes having a five (5) day BOD greater than three hundred (300) parts per million by weight of suspended solids, or having an average daily flow greater than two (2) percent of the average sewage flow of the treatment plant to which connected shall be subject to review by the District. Where necessary, in the opinion of the District, the owner shall provide, at his expense, such preliminary treatment as may be necessary to reduce the BOD to three hundred (300) parts per million by weight, or reduce the suspended solids to three hundred (300) part per million by weight, or control by quantities and rates of discharge of such water or wastes. Plans, specifications and any pertinent information relating proposed preliminary treatment facilities shall be submitted for approval by the District and no construction of such facilities shall be commenced until said approvals are obtained in writing from the District.

No person shall discharge or cause to be discharge the following described substances, materials, waters, or wastes if it appears likely in the opinion of the District that such wastes can harm either the sewers, sewage treatment process, or equipment, have an adverse effect on the receiving stream, or can otherwise endanger life, limb, public property, or constitute a nuisance. In forming their opinion as to the acceptability of these wastes, the District will give consideration to such factors as the quantities of subject wastes in relation to flows and velocities in the sewers, materials of construction of the sewers, nature of the sewage treatment process, capacity of the sewage treatment plant, degree of treat ability of wastes in the sewage treatment plant, and other pertinent factors. The substances prohibited are:

- a) Any liquid or vapor having a temperature higher than one hundred fifty (150°F) (65°C).
- b) Any water or wastes containing fats, wax, grease, or oils, whether emulsified or not, in excess of one hundred (100) mg/l or containing substances which may solidify or become viscous at temperatures between thirty-two (32°F) and one hundred fifty (150°F).
- c) Any garbage that has not been properly shredded. The installation and operation of any garbage grinder equipped with a motor of three-fourths (3/4) horsepower (0.76 hp metric) or greater shall be subject to the review and approval of the District.
- d) Any waters or wastes containing strong acid iron pickling wastes or concentrated plating solutions whether neutralized or not.
- e) Any waters or wastes containing iron, chromium, copper, zinc, and similar objectionable or toxic substances, or wastes exerting an excessive chlorine requirement, to such a degree that any such material received in the composite sewage at the sewage treatment works exceeds the limits established by the District for such materials. No heavy metals or heavy metal compounds such as lead, mercury, cadmium, etc., shall be discharged to sewers within the District. Swimming pools shall not be drained into sanitary sewers.
- f) Any waters or wastes containing phenols or other taste or odor producing substances, in such concentrations exceeding limits which may be established by the District as necessary, after treatment of the composite sewage, to meet the requirements of State, Federal, or other public agencies of Jurisdiction for such discharge to the receiving waters.

- g) Any radioactive wastes or isotopes of such half-life or concentration as may exceed limits established by the District in compliance with applicable State or Federal regulations.
- h) Any waters or wastes having a pH in excess of (9.0).
- i) Materials which exert or cause:
 - 1) Unusual concentrations of inert suspended solids (such as, but not limited to, Fullers earth, lime slurries, and lime residues) or of dissolved solids (such as, but not limited to, sodium chloride or sodium sulfate).
 - 2) Excessive discoloration (such as, but not limited to, dye wastes and vegetable tanning solutions).
 - 3) Unusual BOD, chemical oxygen demand, or chlorine requirements in such quantities as to constitute a significant load on the sewage treatment works.
 - 4) Unusual volume of flow or concentration of wastes constituting "slugs" as defined herein.
- j) Waters or wastes containing substances which are not amenable to treatment or reduction by the sewage treatment processes employed, or are amenable to treatment only to such degree that the sewage treatment plant effluent cannot meet the requirements of other agencies having jurisdiction over discharge to the receiving waters.

If any waters or wastes are discharged, or are proposed to be discharged to the public sewers, which waters contain the substances or possess the characteristic enumerated in 13.4 of this Section, and which in the judgment of the District, may have a deleterious effect upon the sewage works, processes, equipment, or receiving waters, or which otherwise create a hazard to life to constitute a public nuisance, the District may:

- a) Reject the wastes,
- b) Require pretreatment to ail acceptable condition for discharge to the public sewers,
- c) Require control over the quantities and rates of discharge, and/or
- d) Require payment to cover the added cost of handling and treating the wastes not covered by existing sewer charges under the provisions of 13.10 of this Section or the District's user charge regulation.

If the District permits the pretreatment or equalization of waste flows, the design and installation of the plants and equipment shall be subject to the review and approval of the District, and subject to the requirements of all applicable regulations, codes, ordinances and laws.

Grease, oil and sand interceptors shall be provided when, in the opinion of the District, they are necessary for the proper handling of liquid wastes containing grease in excessive amounts, or any flammable wastes, sand, or other harmful ingredients, except that such interceptors shall not be required for private living quarters or dwelling units. All interceptors shall be of a type and capacity approved by the District, and shall be located as to be readily and easily accessible for cleaning and inspection.

Where preliminary treatment of flow-equalizing facilities are provided for any waters or wastes, they shall be maintained continuously in satisfactory and effective operations by the owner at his expense. The District shall be permitted to inspect these facilities at any reasonable time.

When required by the District, the owner of any property serviced by a building sewer carrying industrial wastes shall install a suitable control manhole together with such necessary meters and other appurtenances in the building sewer to facilitate observation, sampling and measurement of the wastes. Such manhole, when required, shall be accessibly and safely located, and shall be constructed in accordance with plans approved by the District. The manhole shall be installed by the owner at his expense, and shall be maintained by him so as to be safe and accessible at all times.

All measurements, tests, and analyses of the characteristics of waters and wastes to which reference is made in this regulation shall be determined in accordance with the latest edition of "Standard Methods for the Examination of Water and Wastewater", published by the American Public Health Association, and shall be determined at the control manhole provided, or upon suitable samples taken at said control manhole. In the event that no special manhole has been required, the control manhole shall be considered to be the nearest downstream manhole in the public sewer to the point at which the building sewer is connected. Sampling shall be carried out by customarily accepted methods to reflect the effect of constituents upon the sewage works and to determine the existence of hazards to life, limb, and property. The particular analyses involved will determine whether a twenty four (24) hour composite of all outfalls of the premise is appropriate if whether a grab sample or samples should be taken. Normally, but not always, BOD and suspended solids analyses are obtained from 24-hour composites of all outfalls whereas pH's are determined from periodic grab samples.

No statement contained in this Section shall be construed as preventing any special agreement of arrangement between the District and any industrial concern whereby all industrial waste of unusual strength or character may be accepted by the District for treatment, subject to payment therefore, by the industrial concern.

14. Right of Entry

The District and other duly authorized employees, agents, or representatives of the District bearing proper credentials and identification shall be permitted to enter all properties for the purpose of inspection, observation, measurement, sampling, and testing in accordance with the provisions of this regulation. The District or their representatives shall have no authority to inquire into any processes including metallurgical, chemical, oil, refining, ceramic, paper, or other industries beyond that point having a direct bearing on the kind and source of discharge to the sewers or waterways or facilities for waste treatment. If the District permits the pretreatment or equalization of waste flows, the design and installation of the plant and equipment shall be subject to review and approval by the District and subject to the requirements of all applicable codes, regulations and laws.

While performing the necessary work on private properties referred to in 14.1 above, the District or duly authorized employees, agents, or representatives of the District shall observe all safety rules applicable to the premises established by the company and the company shall be held harmless for injury or death to the District employees and the District shall indemnify the company against loss or damage to its property by District employees and against liability claims and demands for personal injury or property damage asserted against the company and growing out of the gauging and sampling operation, except as such may be caused by negligence or failure of the company to maintain safe conditions as required in 13.8.

The District and other duly authorized employees, agents, or representatives of the District bearing proper credentials and identification shall be permitted to enter all private properties through which the District holds a duly negotiated easement for the purpose of, but not limited to, inspection, observation, measurement, sampling, repair, and maintenance of any portion of the sewage works lying within said easement. All entry and subsequent work, if any, on said easement, shall be done in full accordance with the terms of the duly negotiated easement pertaining to the private property involved.

- a) The property owner must maintain the easement so as to permit the District to inspect the soil and surrounding areas containing the District's lines, manholes, Y's or appurtenances necessary to the proper operation of the District's sewer system. This includes mowing of the right-of-way when required.

- b) Nothing may be placed on the easement which would prevent access to the easement such as a fence or other obstacle unless there is a gate and the homeowner (in writing, and on file in the District office) has granted the District the right (in perpetuity) to enter the property and to proceed directly to the easement to perform the inspection and necessary repairs when required.
- c) The District may mow the easement utilizing a brush hog or equivalent. This work will normally be done during the months of July or August. However, no individual notice will be given. The District will notify the local media at least one week in advance as to when the mowing will be conducted.
- d) If the District needs to excavate the area of easement to make a repair or modification it will make every effort to see that the area disturbed will be returned to its original configuration if possible and if not then as close to that original configuration as is possible. Before any excavation begins the District will make every effort to notify the homeowner but in any event pictures will be taken of the area before any work commences so that the original configuration can be established for the record. These pictures will be on file in the District's offices for viewing by anyone who wishes to look at them. They will not be removed from the offices without the permission of the Board and then only by a representative of the District.

15. Penalties

No person shall maliciously or willfully break, damage, destroy, uncover, deface, or tamper with any structure, appurtenance, or equipment which is part of the sewage works. Any person violating this provision shall be subject to immediate arrest under charge of disorderly conduct and shall be subject to tampering fees and fines as listed in Appendix E.

Any person found to be violating any provision of this regulation except 15.1 above shall be served by the District with written notice stating the nature of the violation and providing a reasonable time limit for the satisfactory correction thereof. The offender shall, within the period of times stated in such notice, permanently cease all violations.

Any person violating any of the provisions of this regulation shall become liable to the District for any expense, loss or damage occasioned by the District by reason of such violation, including but not limited to attorney's fees, investigation expenses and court costs occasioned in order to obtain injunctive relief or monetary recovery.

Section VIII – Billing, Payment of Bills, Collections and Liability for Payment:

- 1. Water and/or sewer service shall be deemed to be furnished to both the occupant and/or owner of the premises receiving service and the occupant and/or owner of such premises shall be severally and jointly liable to the District for payments of the charges on or to the premises served. All reasonable attempts will be made to have the occupant of premises pay for services rendered before collection for services rendered is made to the owner of the premises.
- 2. Water and sewer users will remit their payment without notice according to Sections VI and VII.
- 3. Customers whose service has been disconnected for nonpayment of bills are required to pay the past due and current amounts of service rendered by the District to the District as well as any and all disconnection and reconnection charges due prior to the restoration of water and/or sewer services disconnected.

4. Disconnection and reconnection charges are as shown in Appendix E.
5. Returned checks due to insufficient funds, closed accounts, or other reasons will be considered seriously past due and delinquent accounts. Customers of such accounts will be given notice to make immediate restitution and pay a returned check charge and in doing so may avoid service disconnection. Customers who do not make restitution and pay the returned check charge are subject to water and/or sewer service disconnection without further notice and are subject to the charges outlined in Appendix E.
6. In all cases involving returned checks, only cash, money orders, and cashier's checks will be acceptable for payment of services rendered for that particular restitution of payment. Future incidents involving returned checks may require all future payments for services rendered to be cash, money order or cashier's checks.
7. For sewer only users, all billing, payment and collection procedures apply as listed above and the District reserves the option of disconnecting the sewer lateral from the main sewer line or removing any sewer pump serving the customer or disconnecting water and/or sewer service as provided under State Law. Should the charge of sewer service remain unpaid after the disconnection date and/or the customer has not made other suitable arrangements approved by the District, the District's option is to proceed with disconnection of service and give final notice to the customer and/or property owner. Prior to physical disconnection of the sewer service the District shall notify the appropriate building official of Health Department who may elect to notify the customer/property owner that the subject property is subject to condemnation for lack of appropriate sewer service. The District reserves the right to charge and collect any and all additional expenses associated with any such disconnection of laterals, pumps and administration fees and the customer shall pay any such amounts in addition to service charges due prior to the restoration of sewer service.
8. Any water and/or sewer customer of the District shall be subject to paying reasonable attorney fees and court costs if suit is filed on his/her delinquent accounts. The District may direct the attorney for the District to file suit against any customer whose account is considered delinquent for one hundred eighty (180) days or more or is delinquent in amounts exceeding two hundred fifty dollars (\$250).
9. Customers who request initiation of discontinuance of water and/or sewer service for a portion of the monthly billing period may receive a prorated bill for that portion of the billing period that the service is received in accordance with the District's current or existing procedures for prorating bills.
10. Water and sewer service shall be deemed to be furnished to the occupant and/or owner of the resident or establishment receiving the service. All reasonable attempts will be made to collect payment for service from the occupant. If the occupant fails to pay for service, the District will make all reasonable attempts to determine the ownership of the resident or establishment, and at the option of the District, to hold the owner responsible for service if deemed proper by the Board of Directors.

Section IX – Backflow Prevention:

1. Each water customer and/or user shall install an approved backflow prevention device on each service line to the water system serving the premises where, in the judgment of the District or the Missouri Department of Natural Resources, actual or potential hazards to the public (District) potable water system exist. The type and degree of protection required shall be commensurate with the degree of hazard. Each water customer required by the District of the Missouri Department of Natural Resources shall follow the rules, regulations and requirements set forth in this backflow prevention rule and all other regulations that may be adopted from time to time by the United States

Environmental Protection Agency, the Missouri Department of Natural Resources or by Public Water Supply District #1 of Franklin County, Missouri.

2. Cross connections are prohibited and no water service connection shall be installed or maintained to any premises where actual or potential cross connections to the District's potable or customers water system may exist unless such actual or potential cross connection(s) are abated or controlled to the satisfaction of the District and as required by the laws and regulations of the Missouri Department of Natural Resources.
3. No water service connection shall be installed or maintained whereby an auxiliary water supply may enter the District's or customer's potable water system(s) unless the connection of such an auxiliary water supply and the method of connection and the use of such a supply shall have been approved by the District and the Missouri Department of Natural Resources.
4. No water service connection shall be installed or maintained to any premises in which the plumbing systems, facilities, point of use devices and water fixtures have not been constructed or installed using acceptable plumbing practices considered by the District necessary for the protection of the District water supply and for the protection of the health and safety of the District's customers.
5. On request by the District or its authorized representative(s), the customer or user shall furnish information regarding water use practices within his/her premises. The customer's or user's premises shall be open at all reasonable times to the District or its authorized representative(s), for the conduction of surveys and investigations of water use practices within the premises to determine whether there are actual or potential cross connections to the District's water system or the customer's water system through which contaminants or pollutants could backflow into the customer's water system or the District's water system.
6. The type of backflow protection required shall depend on the degree of hazard which exists and shall be as follows:
 - a. An approved air-gap separation shall be installed where the District potable water system may be contaminated with substances that could cause a system or health hazard.
 - b. An approved air-gap separation or an approved reduced pressure principle backflow prevention device shall be installed where a public potable water system may be contaminated with a substance that could cause a system or health hazard.
 - c. An approved air-gap separation or an approved reduced pressure principle backflow prevention device or an approved double check valve assembly shall be installed where the public potable water system may be polluted with substances that could cause a pollution hazard not dangerous to health.
7. An approved air-gap separation or reduced pressure principle backflow prevention device shall be installed after the metered flow of any service connection or within any premises where, in the judgment of the District or the Missouri Department of Natural Resources, the nature and extent of activities on or in the premises, or the materials used in connection with the activities, or materials stored on or in the premises, would represent an immediate and dangerous hazard to health should a cross connection occur, even though such a cross connection may not exist at the time the backflow prevention device is required to be installed. This includes but is not limited to the following situations:
 - a. Premises having an auxiliary water supply, unless the quality of the auxiliary water supply is acceptable to the District and the Missouri Department of Natural Resources.
 - b. Premises having internal cross connections that are not correctable or intricate plumbing arrangements which make it impractical to ascertain whether or not cross connections exist.

- c. Premises where entry is restricted so that inspection for cross connection cannot be made with sufficient frequency or at sufficiently short notice to assure that cross connections do not exist.
 - d. Premises having a repeated history of cross connections being established or re-established.
 - e. Premises, which due to the nature of the enterprise therein, are subject to recurring modification or expansion.
 - f. Premises on which any substance is handled under pressure so as to permit entry into the District's or customers water supply system, or where a cross connection could reasonably be expected to occur. This shall include handling of process waters and cooling waters.
 - g. Premises where materials of a toxic or hazardous nature are handled such that if backsiphonage or backpressure should occur, a serious health hazard may result.
8. The following types of facilities fall into one (1) or more categories of premises where an approved air-gap separation or reduced pressure principle backflow prevention device is required by the District and/or the Missouri Department of Natural Resources to protect the public water supply and must be installed at these facilities unless all hazardous or potentially hazardous conditions have been eliminated or corrected by other methods to the satisfaction of the District and the Missouri Department of Natural Resources:
- 1. Aircraft and missile plants
 - 2. Automotive plants
 - 3. Auxiliary water systems and water loading stations
 - 4. Beverage bottling plants
 - 5. Canneries, packing houses, reduction plants, stockyards
 - 6. Car washing facilities
 - 7. Chemical manufacturing, processing, compounding or treatment plants
 - 8. Dairies, animal and veterinary clinics
 - 9. Film laboratories
 - 10. Fire protective systems
 - 11. Hazardous waste and disposal sites
 - 12. Hospitals, mortuaries, clinics and medical buildings
 - 13. Industries using toxic substances
 - 14. Irrigation and sprinkler systems, residential or commercial, any size
 - 15. Laundries and dye works
 - 16. Metal manufacturing, cleaning, processing and fabrication plants
 - 17. Nursing and convalescent homes
 - 18. Oil and gas production, storage and transmission facilities or properties
 - 19. Paper and paper products plants
 - 20. Plant nurseries, tree farms and fertilizer facilities
 - 21. Plating plants of any kind
 - 22. Power plants; printing and publishing facilities
 - 23. Radioactive material processing plants or nuclear reactors
 - 24. Research and analytical laboratories
 - 25. Rubber plants, natural and synthetic
 - 26. Sewage and storm drainage facilities
 - 27. Pumping stations and treatment plants
 - 28. Water front facilities and industries
 - 29. Any customer using any type of booster pressure pump(s) for any purpose or reason.
9. The District may, at the District's discretion and in the District's sole opinion, require a backflow prevention device(s) at facilities and premises other than those above that the District deems may have a hazardous or potentially hazardous condition.

10. Any backflow prevention device required under this rule shall be of a type, model and construction approved by the District and the Missouri Department of Natural Resources as follows:
 - a. Air-gap separation shall be at least twice the diameter of the supply pipe or supply line as measured vertically above the top rim of the vessel, but in no case less than three (3) inches.
 - b. Double check valve assemblies or reduced pressure principle backflow prevention devices shall be of Watts manufacture series No. 709 or 909 or an approved equivalent.
11. Existing backflow prevention devices previously approved by the District at the time of installation and properly maintained shall, except for inspection and maintenance requirements, be excluded from the requirements of this rule so long as the District, in the District's sole opinion, is assured that said backflow prevention devices will satisfactorily protect the water system. Whenever the existing device is moved from its present location, or requires more than minimum maintenance or when the District finds that the maintenance or lack of maintenance constitutes a hazard to health, the device shall be replaced by a backflow prevention device meeting the requirements of this rule and shall be subject to all requirements under this rule.
12. Backflow prevention devices required under this rule shall be installed at a location and in a manner approved by the District and shall be installed and maintained at the expense of the water customer or user.
13. Periodic inspection and testing schedules are hereby established by the District for all backflow prevention devices at the following intervals:
 - a. Air-gap separations shall be inspected at the time of service connection or installation and every twelve (12) months thereafter.
 - b. Double check valve assemblies shall be inspected and tested for tightness at the time of installation and at least every twelve (12) months thereafter. They shall be dismantled, inspected internally, cleaned and repaired whenever needed and at least every thirty (30) months.
 - c. Reduced pressure principle backflow prevention devices shall be inspected and tested for tightness at the time of installation and at least every twelve (12) months thereafter. They shall be dismantled, inspected internally, cleaned and repaired whenever needed and at least every five (5) years.
14. All costs associated with inspections, cleaning, testing, repairing, overhaul or replacement of backflow prevention devices shall be the responsibility of the water customer or user. All inspections, cleaning, testing, repairing and overhaul of backflow prevention devices shall be performed by a State of Missouri certified backflow prevention service tester. It shall be the responsibility of the customer/user to provide the District with written inspection or repair documentation upon receipt.
15. Backflow prevention devices found to be defective shall be repaired or replaced at the expense of the water customer or user without undue delay and in any event no later than thirty (30) days from the discovery of the defect. Backflow prevention devices shall not be bypassed, made inoperative, removed or otherwise made ineffective without specific written authorization from the District. Bypass piping around a backflow prevention assembly is allowed only if the bypass is equipped with an identical or better backflow prevention assembly.
16. The District shall maintain a complete record of each backflow prevention device. Records will include comprehensive listing of installation, testing, inspections, cleanings, repairs and overhauls and will generally be a complete history of each backflow prevention device from installation to retirement. It shall be the customer's and/or user's responsibility to provide the District with

complete records of installations, testing, inspections, cleanings, repairs and overhauls upon receipt or upon request, whichever occurs first.

17. The District shall deny or discontinue, after reasonable notice to the customer/user thereof, the water service to any premises or facilities wherein any backflow prevention device required by this rule is not installed, tested or maintained in a manner acceptable to the District or if it is found that a backflow prevention device has been removed or by-passed or if an unprotected cross connection exists on the premises. Water service to such facilities or premises shall not be restored until the customer/user has corrected or eliminated such conditions or defects in conformance with this rule to the satisfaction of the District.

Section X – Fire Hydrants, Regulation for Use:

1. Hydrants and flushing assemblies shall only be operated by District personnel, Fire Protection Districts, persons carrying written authorization or permit to operate hydrants and flushing assemblies or those persons or companies granted temporary permit to operate hydrants and flushing assemblies in accordance with the regulations of the District. The operation of any hydrant or flushing assembly by any unauthorized person(s) or company shall be considered tampering and may result in the impoundment of any hose(s), wrenches, nozzles, backflow preventors, meters or other items used in the hydrant operation with charges and penalties defined in Appendix E and those persons shall be subject to prosecution by the District.
2. Persons or companies authorized to use and operate hydrants may be required to provide a security deposit and shall pay for all water used. The authorized hydrant user shall provide all equipment necessary for hydrant use including hoses, control valves, approved backflow prevention device, plus any other equipment deemed necessary by the District for the safe and proper operation of the hydrant and/or flushing assembly.
3. The District reserves the right to deny any person, persons, company, companies or any other entity any request for hydrant or flushing assembly use for any reason the District believes necessary to protect the property and/or best interests of the District.
4. The District reserves the right to develop and implement detailed regulations for hydrant use, permits, fees and charges, and procedures for hydrant operation and amend hydrant use procedures whenever the District deems necessary. The District reserves the right to waive or reduce hydrant deposits and water use charges for improvements or for construction projects and extensions to the District's system directly awarded and paid for by the District.
5. All District hydrant users shall follow the permit and use procedures and pay the applicable fees as adopted by the Board of Directors and as may be amended from time to time.
6. Private fire hydrants may be installed by a written agreement with the District, provided that the District shall take into account all possible costs to the District and charge an equitable price therefore, all cost factors considered. Public fire hydrants may be installed by special agreement with the state, a municipality, political subdivision or political corporation and the Owner shall take into considerations the same factors when entering such a contract. All such hydrants shall become the property of the District. Style and size of hydrant shall be determined by the District for each installation.
7. Relocation of a District fire hydrant may be made by the District upon written request of an owner of property adjacent to such hydrant and the deposit of estimated cost of relocation, plus overhead, with the District. In the event of under- or over-estimate, the owner will be billed or refunded the difference; provided, the District reserves the right to refuse to relocate the fire hydrant if, in its

opinion, such relocation would be detrimental to the safety, convenience or protection potential of the hydrant.

8. The District may allow fire hydrants on private water mains six (6) inches or larger in diameter, where required flows are available, and where protection cannot be supplied by facilities located along the District mains(s); provided, however, that the water user and/or landowner be responsible for keeping the hydrant constantly accessible to fire-fighting equipment and to District personnel. The entire system, excluding the fire hydrant and required detector check, from the valved water main tap, shall be and remain the customer's installation and the District shall not be responsible for its maintenance. The customer shall make no use of this facility other than for fire protection.

Section XI – Sprinkler System Uses:

1. Fire protection, irrigation systems and similar types of sprinkler systems shall be subject to all backflow requirements set forth by the District and the State of Missouri. Those systems not complying with the requirements shall be subject to disconnection, with no liability incurred to the District, or by any other entity, company or person serving as the District's agent. All liability is assumed by the customer, user or owner of the residence or establishment receiving the service.
2. All water mains laid on private property for the sole purpose of providing fire protection through fire hydrants or sprinkler systems are subject to the installation of a detector check valve with bypass water meter, sized as approved by the District. The detector check valve design and installation shall be approved by the District. All costs for the furnishing and installation of the fire protection service shall be borne by the customer, user or owner and not the District. The detector check valve will be checked periodically by the District.
3. All fire protection systems are also subject to the approval of the Fire Protection District having authority in the area the premises are located and the customer or user shall follow all requirements set forth by the Fire Protection District as they pertain to fire protection regulations.
4. If the District determines through its engineer that proper flows are available to furnish a sprinkler system then said system may be allowed upon discretion of the District. Installation to be in accordance with design approved by the District engineer and to be paid for by customer. The customer has the option of constructing all parts of the system from the water main tap and providing all materials, subject to District approval and inspection. The entire system, excluding any fire hydrants and required detector check, from the valved water main tap, shall be and remain the customer's installation and the District shall not be responsible for its maintenance. The customer shall make no use of this facility other than for fire protection. The tap size must be approved by the District on recommendation by the District engineer.
5. Water is to be used for testing, fire drills, and firefighting only. No connection for water service for uses other than fire protection shall be made to any private fire protection system. Detection of unauthorized use of water through a fire protection facility shall result in a monthly charge for each incident based upon the rates established in the Rate Schedule. There shall be no charge for water used in fire suppression or during authorized testing of fire protection facilities. Rates for availability shall be provided in Appendix A.

Section XII – Private Water Systems:

1. All owners of land or customers receiving District service(s) for buildings or premises connected to the District sewer system and who derive their water in whole or in part from sources independent of the District shall register with the District, the location, building or premises, all wells or other private sources of water supply used or consumed thereon, and furnish such information as may be reasonably requested, including location, size, depth, capacity or wells or other sources of water drawn.

2. No cross connection between any private water supply system and the District water system shall be permitted unless the District is protected against backflow by an approved reduced pressure backflow prevention device or an air-gap in accordance with the District's rule pertaining to backflow prevention.
3. Private water supply systems serving building or premises which discharge into the District's sewer system shall be required to be either water or sewer metered. Meters shall be of a type and size approved by the District. Meters shall be read by the District or at the District's option, readings and usages be made available to the District.
4. Private water mains may be supplied with water by the District so long as the mains are in good condition and do not provide a health hazard.
5. Private water mains shall not be permitted to occupy District easements except at the point of connection to the distribution system, unless such mains were in operative use in the distribution of water prior to the dedication and acceptance of such easement.
6. Proposed private water mains shall be installed only under the approval, direction and inspection of the District.
7. Private water mains shall be and remain the property of the individual, corporation or association claiming ownership; the District shall have no responsibility for their maintenance.
8. The District shall not bear the expense of reconnecting customers from private mains to the District mains; in all circumstances, the actual cost of labor, equipment, and material, plus overhead, shall be charged to the customer.

Section XIII – Governmental Agreements, Tank Sales and Emergency Interconnections:

1. The District may make specific water and/or sewer service contracts and agreements with the United States of America and its agencies, the State of Missouri and its agencies, school districts, municipal and political corporations differing from the stipulations set out in the rules, regulations and rate schedules set forth herein.
2. The District may make and enter into specific reciprocal agreements for emergency interconnections between the District water system and other public, governmental or other water systems regulated by the Public Service Commission for the purposes of providing an emergency supply of potable water from the District or to the District as the need arises. Such specific agreements shall set out the respective duties, rights and obligations as respects the construction, operation, maintenance and use of the reciprocal emergency interconnections.

Section XIV - Water Conservation Plan

1. All connections to the District's water system shall be subject to the District's Water Conservation Plan as identified below and for which plan is to provide for public health and to regulate use of the District's water system.
2. The District or its agents shall give notice to customers of any voluntary requests or mandatory measures the District places into effect by means of radio, television, newspapers and any other news media. In cases of extraordinary measures or disasters the District may utilize all of the above as well as any emergency warning system including local law enforcement agencies.

3. If a disaster occurs, severe conditions exist and/or voluntary water curtailment or restrictions are requested by the District or if demands on the water system continue to indicate that the threat of a water shortage will occur or continues to occur, the District or its agents may immediately implement any parts of the below conservation plan as the District deems necessary:
 - a. Mandatory Restriction of Lawn Watering. Even-numbered addresses water on even-numbered days of the month, odd-numbered addresses water on odd-numbered days of the month.
 - b. Mandatory Ban of Lawn Watering. All lawn watering, watering of gardens, crops, plants, trees and bushes is prohibited except from a hand held container.
 - c. Mandatory Ban on Washing Paved Areas. All washing of sidewalks, driveways, parking areas, patios and any other paved or concrete surfaced area is prohibited.
 - d. Mandatory Ban on Filling and Washing. All filling or refilling of any kind or type of swimming pools and/or washing of cars, trucks or other motor vehicles and/or any washing of trailers or boats is prohibited.
 - e. Mandatory Ban of Water Uses From Hydrants. All water uses from fire hydrants except for fighting fires and/or flushing mains to alleviate specific complaints and/or sampling and/or testing of water is prohibited.
 - f. Commercial and Industrial Uses. All commercial and industrial customers shall reduce water usage by twenty-five (25) percent of average use like time period.
4. Any customer or person(s) violating the provisions of this rule shall be subject to disconnection of water service and the District and/or its agents shall have the authority to disconnect or terminate said service in the event of violation of mandatory water use restrictions. Any customer or person(s) violating the provisions of this rule shall be subject to a charge not to exceed five hundred (\$500) dollars per occurrence. Each day shall count as a separate occurrence. The District shall authorize any law enforcement agency to diligently enforce the provisions of this rule in connection with his/her duties imposed by law.

Section XV – Extensions:

1. The specifics and details of this rule pertaining to water line extensions are generally described in the latest edition of the “Water Distribution System Specifications” a copy of which can be obtained upon request from the District. All existing and current practices, written and unwritten, now in effect, remain in effect and may be amended from time to time. All water line construction and water line extensions shall be designed in accordance to industry standards set forth by AWWA and the District’s Engineer. Prior to any construction of any water line extension, all applicable planning, engineering, reviews and permits must be approved in writing by the District and all other applicable governmental agencies. Also, any applicable inspection fees must be paid.
2. The specifics and details of this rule pertaining to sewer line extensions are generally described in the District’s current “Sanitary Sewer Collection System Specifications and Guidelines”. All existing and current practices, written and unwritten, now in effect remain in effect. All sewer line construction and sewer line extensions shall be designed and constructed in accordance to the materials and specifications set forth in the appropriate specifications of the A.S.T.M. and the W.P.C.F. Manual of Practice No. 9. Prior to any construction of any sewer line extension, all applicable planning, engineering, reviews and permits must be completed and the construction plans must be approved in writing by the District and all other applicable governmental agencies. Also, any applicable inspection fees must be paid.

3. The extension of water and/or sewer mains shall be initiated and made in one of the following ways:
 - a) The Board may declare the necessity for and direct the extension of water mains as a public improvement.
 - b) Any individual, group of individuals, corporation, limited liability company, associated, institution, club or other entity desiring to become customers and to purchase water from the District, may upon approval of proper application and as otherwise herein provided, extend the District's water mains.
 - 1) Application for Water and/or Sewer Main Extension
 - 2) Two (2) sets of signed and sealed detailed plans.
4. All applications for permission to make such extension shall be submitted in writing to the Board of Directors, who shall approve or disapprove such application. The application shall clearly indicate the desired route and approximate length of the extension, and to assume to cost of the entire extension including all construction, engineering, and legal expense of such extension.
5. The developer shall execute and provide all requirements of the District's Water Extension Agreement and/or Sewer Extension Agreement prior to receiving approval from the District.
6. Once approval is granted, the following must be submitted or done before construction may begin:
 - a) The Construction Permit Fee per form 10.2 must be paid to the District.
 - b) The Owner shall furnish a recorded plat for any subdivision prepared by a Missouri Registered Land Surveyor, shall show all easements required for the main extension and it shall be signed by the Owner, with his/her signature notarized.
 - c) The main extensions and all appurtenances shall be staked by a Land Surveyor or Professional Engineer, registered with the State of Missouri.
 - d) All Permits required such as for crossings of State or County roads shall be obtained.
 - e) All constructions permits and approvals from the Missouri Department of Natural Resources.
 - f) The Water District shall be given one week advance notice to arrange for inspection.
7. During construction, the Water District will provide inspections. Any work backfilled prior to inspection by the District will be uncovered prior to acceptance.
8. Successful testing of water and sewer mains as required in the District's Specifications must be completed prior to any main extension being put into service. All testing is at the expense of the developer and shall be witnessed by the District.
9. Following completion and placing the new extension into service, the Developer shall convey ownership of the main extension to the District per the procedures detailed in the Extension Agreement.

Section XVI – Penalties for Violations:

1. Any user, person, firm, customer, corporation, partnership, etc. found to be in violation of any provision of these rules and regulations or who fails to comply with any of the requirements stated herein or who deliberately tampers with, operates or otherwise uses a District owned water line, water meter, water setter, water valve, water storage tank, water supply or water pumping facility, sewer line, sewer manhole, sewer cleanout, sewer pump station or wastewater treatment facility shall be subject to an administrative charge not to exceed five hundred dollars (\$500) per occurrence and/or imprisonment as the Federal, State and/or County law provides in addition to any costs incurred by the District for repairs

necessary due to any tampering or failure to follow rules and regulations of the District. Each day of violation and each tampering incident shall count as a separate occurrence.

2. The District shall have the option and authority, in lieu of, or in addition to the above penalties, to discontinue water and/or sewer service to the buildings and/or premises in violation of the requirements, rules and regulations herein. The District absolves itself of any claims of liability for damages incurred as a result of discontinuance of service. Any such liability or damages resulting from the discontinuance of water and/or sewer service is the responsibility of the customer, user, owner, etc.
3. Water and/or sewer service shall not be restored until the violations have been corrected and eliminated to the satisfaction of the District and once service has been disconnected, all charges, fines, court costs and permit fees must be paid prior to the restoration of service.
4. Nothing contained herein shall prevent the District from taking other lawful actions as necessary to protect the health and safety of the public and/or to prevent damage to the District's water and/or sewer systems and facilities, including obtaining court orders in law or equity. Should the District go to court in law or equity against any one or more customers, users, owner/owners, then such customer, user, or owner/owners shall pay for all costs thereof, including attorney's fees.

PWSD # 1 of Franklin County, Missouri
RULES AND REGULATIONS

ADDENDUM 1

LEAD BAN

Be it ordained by the governing body of the Public Water Supply District # 1 of Franklin County, state of Missouri:

Section I. Lead Ban – General Policy

- A. Purpose. The purpose of this ordinance is:
- 1) To ban the use of lead materials in the public drinking water system and private plumbing connected to the public drinking water system; and
 - 2) To protect city residents from lead contamination in the city’s public drinking water system and their own private plumbing systems.
- B. Application. This rule shall apply to all premises served by the public drinking water system of the Public Water Supply District # 1 of Franklin County, Missouri.
- C. Policy. This rule will be reasonably interpreted by the water purveyor. It is the purveyor’s intent to ban the use of lead based material in the construction or modification of the District’s drinking water system or private plumbing connected to the District’s system. The cooperation of all consumers is required to implement the lead ban.

Section II. Definitions

- A. The following definitions shall apply in the interpretation and enforcement of this ordinance.
- 1) “Consumer” means the owner or person in control of any premises supplied by or in any manner connected to a public water system;
 - 2) “Lead base materials” means any material containing lead in excess of the quantities specified in Section II. A. 3;
 - 3) “Lead free” means:
 - A. In General.
 - 1) When used with respect to solder and flux, refers to solders and flux containing not more than 0.2 percent (0.2%) lead; and
 - 2) When used with respect to pipes and pipe fittings, refers to pipes and pipe fittings containing not more than 0.25 percent (0.25%) lead.

B. Calculation

The weighted average lead content of a pipe, pipe fitting, plumbing fitting, or fixture shall be calculated by using the following formula: For each wetted component, the percentage of lead in the component shall be multiplied by the ratio of the wetted surface area of that component to the total wetted surface area of the entire product to arrive at the weighted percentage of lead of the component. The weighted percentage of lead of each wetted component shall be added together, and the sum of these weighted percentages shall constitute the weighted average lead content of the product. The lead content of the material used to produce wetted components shall be used to determine compliance with paragraph (A)(2). For lead content of materials that are provided as a range, the maximum content of the range shall be used.

- 4) "Public drinking water system" means any publicly or privately owned water system supplying water to the general public which is satisfactory for drinking, culinary and domestic purposes and meets the requirements of the Missouri Department of Natural Resources; and
- 5) "Water purveyor" means the owner, operator, or individual in responsible charge of a public water system.

6) "Exemptions"

(A) pipes, pipe fittings, plumbing fittings, or fixtures, including backflow preventers, that are used exclusively for non-potable services such as manufacturing, industrial processing, irrigation, outdoor watering, or any other uses where the water is not anticipated to be used for human consumption; or

(B) toilets, bidets, urinals, fill valves, flush-o-meter valves, tub fillers, shower valves, service saddles, or water distribution main gate valves that are 2 inches in diameter or larger.

Section III. Lead Banned from Drinking Water Plumbing

- A. No water service connection shall be installed or maintained to any premises where lead base materials were used in new construction or modifications of the drinking water plumbing after January 1, 1989.
- B. If a premises is found to be in violation of Section III. A., water service shall be discontinued until such time that the drinking water plumbing is lead free.

ARTICLE III

Section I – Severability and Effective Date:

1. This resolution provides that the rules and regulations covered herein supersede any and all previous rules and regulations pertaining to the items herein addressed and all such rules and regulations are hereby rescinded. Should any provision or portion of this resolution, rules and regulations be found to be unlawful or invalid by any court of competent jurisdiction, the remaining portions and provisions of this resolution, rules and regulations shall continue to be in full force and effect.

That this resolution be in full force and effect upon the adoption by the Board of Directors for Public Water Supply District #1 of Franklin County, Missouri and the effective dated notice herein.

Joseph D. Feldmann - President

SEAL

ATTEST:

Erin Hollandsworth – Clerk

On motion duly made, seconded and carried, this resolution is hereby adopted by the Board of Directors of Public Water Supply District #1 of Franklin County, Missouri on this 18th day of December, 2024.

APPENDIX A

Public Water Supply District No. 1 of Franklin County Rules and Regulations Effective January 1, 2025

Water Rates

Residential, Commercial, Business, Industrial and Governmental *

Service Availability, includes up to 1,000 gallons	\$18.12 per month
For each 500 gallons over 1,000 gals per month	\$2.71 per each 500 gallons or portion thereof

Fire System Fee – All Except Residential

Based upon each 25,000 of square footage protected by fire sprinkler systems:

0	to	25,000	square feet	\$100.00/year
25,001	to	50,000	square feet	\$200.00/year
50,001	to	100,000	square feet	\$300.00/year
Each 25,000 square feet over 100,000 square feet is \$100.00/year in addition to above				

Meter Testing Charge

Customers shall be charged for testing of meters at the customer's request if the meters test within specified limits. The test fee shall be \$27.50 per each test.

* Does not include any local, State or Federal fees or taxes

APPENDIX B

**Public Water Supply District No. 1 of Franklin County
Rules and Regulations
Effective January 1, 2025**

Sewer Rates

Residential customers shall be billed for sewer service based on actual or estimated winter water usage based on water meter readings gathered between the months of October and March. This average winter water use shall be used to compute residential sewer billings each May for the next 12 month period using the following rates:

First 1,000 gallons or less	\$28.29 per month Minimum
For each 500 gallons over 1,000 gals	\$3.37 per each 500 gallons or portion thereof

New customers who have not established average winter water usage shall be billed the sewer only rate (listed below) per month until actual winter water usage has been established. Within 90 days of their actual winter water use being known, any new sewer customer, upon written request, can request review of their account to determine if their actual winter water use was less or more than the average winter water use billed. If their actual winter water use was less or more than the billed average, the difference will be applied to their sewer accounts as a credit or an additional charge, whichever the case may be.

Sewer Charge – Monthly Availability for Non-Water Customers (Sewer Only)

\$61.16 per month minimum (flat rate) based on 4,400 gallon average

APPENDIX C

Public Water Supply District No. 1 of Franklin County Rules and Regulations

Connection Fees Effective January 1, 2025 Water and Sewer Connection Fees

Water Connection Fee:

- **Residential:**
- For ¾ inch water service connections: \$2,003 per each residential dwelling unit (includes right to connect plus the saddle, corporation and a ¾ inch water meter).
- For one-inch water service connections: \$2141 per each residential dwelling unit (includes right to connect plus the saddle, corporation and a 1-inch water meter)
- For water service connections above one inch in size, contact District for current pricing based on \$2141 for the right to connect plus the cost of the larger saddle, corporation, and meter plus a 10% administration and handling charge.
- **Commercial/Industrial/Business/Governmental:**
- For ¾ inch water service connections: \$2440 per each residential dwelling unit (includes right to connect plus the saddle, corporation and a ¾ inch water meter).
- For one-inch water service connections: \$4580 per each residential dwelling unit (includes right to connect plus the saddle, corporation and a 1-inch water meter)
- For water service connections above one inch in size, contact District for current pricing based on \$4,580 for the right to connect plus the cost of the larger saddle, corporation, and water meter plus a 10% administration and handling charge.

Residential Sewer Connection Fee (If Sewer Treatment is by District owned treatment facilities):

- \$2,271 per each residential dwelling unit, discounted granted for District water customers
- \$2,855 per each residential dwelling unit standard connection fee for sewer only customers

Residential Sewer Connection Fee (If Sewer Treatment is by City of Washington, Missouri):

Add \$250.00 to above listed sewer connection fees.

Commercial/Industrial/Business/Governmental Sewer Connection Fee:

- Based on residential equivalents and estimated sewer flows, but in any event no less than the prevailing Residential Sewer Connection Fees listed above.

APPENDIX D

Public Water Supply District No. 1 of Franklin County Rules and Regulations

Security Deposits

<u>Meter Size</u>	<u>Deposit</u>
¾"	\$75.00 or \$75.00 per unit whichever is greater
1"	\$75.00 or \$75.00 per unit whichever is greater
1 ½"	\$100.00 or \$75.00 per unit whichever is greater
2"	\$200.00 or \$75.00 per unit whichever is greater
3"	\$300.00 or \$75.00 per unit whichever is greater
4"	\$400.00 or \$75.00 per unit whichever is greater

Residential Rental Tenant, single and multi-family, per dwelling unit, up to 1 inch	
Water Service.....	\$100.00
Sewer Service.....	\$100.00

**Sewer only customers shall be required to have a security deposit of \$75 per unit.*

APPENDIX E

Public Water Supply District No. 1 of Franklin County Rules and Regulations

Other Fees

1. Past Due Accounts that are scheduled for disconnection or disconnected for non-payment are subject to a fee of \$30.
2. Services that have been locked off and are found to have a broken or missing lock shall be subject to a broken lock charge of \$50 and may be subject to an administration charge or tampering fee.
3. The administration charge for tampering with District owned facilities shall be up to \$500 per occurrence.